


ITALIANCERA

CONTACT : +91 90999 30546

ITALIANCERA

Creative thinking inspires ideas




800x800
600x600
VITRIFIED TILES

New Tech +


 DOUBLE CHARGE

DOUBLE CHARGE VITRIFIED TILES

TYPHOON SERIES



TYPHOON WHITE




TYPHOON BEIGE




TYPHOON ONYX



TYPHOON GRAPHITE



TYPHOON JASPER



TYPHOON SANDSTONE



TYPHOON BRONZITE

600x600mm

ITALIANCERA



02

03



High Strength



Multiple Application



Eco Friendly



Zero Maintenance

DOUBLE CHARGE

VITRIFIED TILES

600x600mm

ITALIANCERA

BOTTOCHINO SERIES


FUSION SERIES



BOTTOCHINO CREMA




BOTTOCHINO GREY



BOTTOCHINO CHERRY



BOTTOCHINO PIE




FUSION WHITE




FUSION BEIGE



FUSION LEOPARD



FUSION VOLCENO



FUSION LAVA



FUSION LIZARD

04

05



High Strength



Multiple Application



Eco Friendly




Zero Maintenance

DOUBLE CHARGE
VITRIFIED TILES


FUSION SERIES



FUSION TIGER



FUSION ZEBRA




M STONE




NEW

CARRARA WHITE



HIMALAYA WHITE



ASION WHITE (DC)

06


600x600mm

ITALIANCERA


TROPICANA SERIES




TROPICANA WHITE



TROPICANA ROSSA



TROPICANA PISTA



TROPICANA BEIGE



TROPICANA OYSTER



TROPICANA ALMOND

07



High Strength



Multiple Application




Eco Friendly



Zero Maintenance

DOUBLE CHARGE VITRIFIED TILES

TROPICANA SERIES



TROPICANA GALAXY



TROPICANA RUBY



TROPICANA GRANITO



TROPICANA CHOCKO



TROPICANA CAMEL


08

600x600mm

ITALIANCERA



TROPICANA LAVA



TROPICANA OPERA



09



High Strength



Multiple Application




Eco Friendly



Zero Maintenance

DOUBLE CHARGE
VITRIFIED TILES


EMERALD SERIES




EMERALD WHITE




EMERALD BEIGE



EMERALD LAVA



EMERALD CHOCKO



EMERALD BLACK

800x800mm

ITALIANCERA



10

11



High Strength



Multiple Application



Eco Friendly




Zero Maintenance

DOUBLE CHARGE
VITRIFIED TILES

800x800mm

ITALIANCERA


FUSION SERIES




FUSION WHITE



FUSION BEIGE



FUSION LAVA



FUSION VOLCENO



FUSION LIZARD



FUSION LEPARD




12

13


- High Strength
- Multiple Application
- Eco Friendly
- Zero Maintenance

DOUBLE CHARGE
VITRIFIED TILES


HIMALAYA SERIES




HIMALAYA WHITE



TYPHOON WHITE



TYPHOON CREMA



M STONE



TROPICANA WHITE

800x800mm

ITALIANCERA



14

15



High Strength



Multiple Application



Eco Friendly



Zero Maintenance

DOUBLE CHARGE
VITRIFIED TILES

CARRARA SERIES



CARRARA OYSTER




CARRARA WHITE



CARRARA OPERA



CARRARA BEIGE



CARRARA GALAXY



CARRARA ALMOND

16

800x800mm

ITALIANCERA



CARRARA LAVA



CARRARA CHOCOLATE



17



High Strength



Multiple Application



Eco Friendly



Zero Maintenance

DOUBLE CHARGE

VITRIFIED TILES

800x800mm

CARRARA SERIES

18



ITALIANCERA

TECHNICAL DETAILS

19

CHARACTERISTIC			
DIMENSION & SURFACE QUALITY	INTERNATIONAL SPECIFICATIONS ISO 13006/EN 176 GROUP & IS 15622 : 2006	ITALIAN CERA VALUE	METHOD OF TESTING
■ Deviation In Length & Width	± 0.6%	± 0.4%	ISO 10545 Pt2
⚖ Deviation In thickness	± 5%	± 3%	ISO 10545 Pt2
■ Straightness Of sides	± 0.5%	± 0.4%	ISO 10545 Pt2
■ Rectangularity	± 0.6%	± 0.5%	ISO 10545 Pt2
↔ Surface Flatness	± 0.5%	± 0.4%	ISO 10545 Pt2
✦ Glossiness	gloss meter	min 90% Reflection	ISO 10
PHYSICAL & THERMAL PROPERTIES			
💧 Water Absorption	< 0.5%	< 0.05%	ISO 10545 Pt3
🔪 Mohs Hardness	> 6	8	EN 101
⚡ Flexural Strength (Mor)	> 35N/m ²	≥ 46 N/mm ²	ISO 10545 Pt4
🌀 Surface Abrasion Resistance	< 175 mm ³	< 145 mm ³	ISO 10545 Pt6
👣 Skid Resistance	> 0.4	> 0.4	ISO 10545 Pt17
📏 Breaking Strength	1113 N	2800 N	ISO 10545 Pt4
📦 Density (g/cc)	> 2	> 2.4	DIN 51082
❄ Frost Resistance	Frost Proof	Frost Proof	ISO 10545 Pt12
☀ Thermal Shock Resistance	No Damage	No Damage	ISO 10545 Pt9
↔ Thermal Expansion	< 9 x 10 ⁻⁶	< 6 X 10 ⁻⁶	ISO 10545 Pt8
💧 Moisture Expansion	Nil	Nil	ISO 10545 Pt10
CHEMICAL PROPERTIES			
🧪 Chemical Resistance	No Damage	No Damage	ISO 10545 Pt13
☀ Colour Resistance	No Damage	No Damage	DIN 51094
👉 Stain Resistance	Resistant	Resistant	ISO 10545 Pt14

*Not applicable for glossy finishes

** These parameters are not applicable for structured punches

PACKING DETAILS

Size	No. of Tiles Per Box	Coverage Area in Sq. Mt. / Sq. Ft	Weight / Box
800x800mm	3 Pcs.	1.92 Sq. Mt. / 20.67 Sq. Ft	39 Kgs [Approx]
600x600mm	4 Pcs.	1.44 Sq. Mt. / 15.50 Sq. Ft	27 Kgs [Approx]

General Note: All technical specifications in this catalog are for premium grade material only.

Disclaimer : ITALIANCERA reserves the right to delete & amend either totally or partially, any of the colors, shapes, size, reference and other technical specification contained in this catalog at any time. The colors shown in this catalog are purely illustrative and limited to printing process, please refer actual sample before final selection, please verify the details given in this catalog for any typographical error before any purchase. Shade & size variation is an inherent property of ceramic tiles. All complaints need to be reported within 10 days of purchase in writing. Always follow instructive to avoid complaints due to improper method of application.



High Strength



Multiple Application



Eco Friendly



Zero Maintenance